



BEIER™ High Performance Replacement Cables & Cable Repair

GSE TECH-MOTIVE **STANDARD** Series

Replacement Cables and Repair Services for GSE TECH-MOTIVE part number:

51-3066-XXXX



✓ **3 times longer service life***

✓ **improved ergonomics***

✓ **considerably cheaper prices***

* compared to conventional DC Tool Cables



BEIER™ High Performance Replacement Cables



BEIER™ REPLACEMENT-VERSIONS:

We have all common lengths on stock and can supply any special lengths on short notice.

Version Tool Connector:

Regular: Connector straight, non-rotatable


BEIER™ Item Number	Length
GSC-10-23741-03	3 m
GSC-10-23741-05	5 m
GSC-10-23741-07	7 m
GSC-10-23741-10	10 m
GSC-10-23741-15	15 m
GSC-10-23741-20	20 m



BEIER™ High Performance Cable Repair

OUR REPAIR SERVICE COMPRISES:

- Complete control including **high-voltage test**
- Complete removal of the damaged cable area
- Tool Connector Upgrade with **optimized BEIER™ housing and connector components**
- BEIER™ **Integrated Bending Protection**: robust, high flexible and ergonomic
- High-voltage final test with logging of resistance values in the mΩ-range



damaged OEM Cable **before** repair
 Cable Type: GSE Tech-Motive Standard
 Part Number: GSC-10-23741-XX


OEM Cable **after** BEIER™ Repair: repaired and upgraded with optimized connector and housing parts as well as integrated bending protection, Connector Version: Regular

- ✓ reduced operating costs
- ✓ improved quality

Your benefit:

With the BEIER™ Cable Repair Service you can **save more than 65% of the new procurement price** for OEM-Cables (depending on the cable type). At the same time we can **increase the product life considerably** thanks to our optimized Tool Connector and integrated bending protection.

Comparison of average price-performance ratio





The time for improvement is now.



BEIER GmbH

Kapellenweg 27/1
D-73447 Oberkochen / GERMANY

Phone: +49 7364 9607 - 0
Fax: +49 7364 9607 - 29

E-mail: info@beier.de
Online: www.beier.de

www.toolcable.com

All contents are the property of BEIER GmbH.
Printed in Germany / All rights to modify products & technical specifications reserved.